


# PACEL™

## Bipolar Pacing Catheters

Shrouded models



**Information contained herein for DISTRIBUTION outside of the U.S. ONLY. Check the regulatory status of the device in areas where CE marking is not the regulation in force.**

©2023 Abbott. All rights reserved. MAT-2310085 v1.0



# TABLE OF CONTENTS

## Torque Control

|  |   |
|--|---|
| PACEL™ Bipolar Pacing Catheter, Ventricular Pacing 60 Degree Curve .....       | 3 |
| PACEL™ Bipolar Pacing Catheter, Ventricular Pacing with Right Heart Curve..... | 4 |
| PACEL™ Bipolar Pacing Catheter, Atrial “J” Pacing.....                         | 5 |

## Flow Directed

|   |   |
|---|---|
| PACEL™ Bipolar Pacing Catheter, Straight.....           | 6 |
| PACEL™ Bipolar Pacing Catheter, Right Heart Curve ..... | 7 |

## Bipolar Pacing Accessories

|                       |    |
|-----------------------|----|
| Epicardial Cable..... | 8  |
| Patient Cable.....    | 9  |
| Threshold Cable ..... | 10 |

**Information contained herein for DISTRIBUTION outside of the U.S. ONLY. Check the regulatory status of the device in areas where CE marking is not the regulation in force.**

# VENTRICULAR PACING 60 DEGREE CURVE

## Torque Control

### Product Highlights

- Designed to provide pacing and sensing in the ventricle from the superior vena cava approach
- Designed to balance maneuverability and mechanical stability
- Solid core enables user to customize the curve
- 10 cm depth markers to enhance placement
- Smooth, hemocompatible polyurethane coating
- Stainless steel center conductor and electrodes
- Clearly marked terminals
- Shrouded 2 mm pin connector leads

### Ordering Information

Contents: Pacing Catheter and Pin Adapters (5 units per box)

| PART NUMBER | FRENCH SIZE | ELECTRODE SPACING (CM) | USABLE LENGTH (CM) | RECOMMENDED INTRODUCER SIZE (F) |
|-------------|-------------|------------------------|--------------------|---------------------------------|
| 401765      | 4           | 1                      | 110                | 4                               |
| 401775      | 5           | 2.5                    | 110                | 5                               |
| 401766      | 5           | 1                      | 110                | 5                               |
| 401776      | 6           | 2.5                    | 110                | 6                               |
| 401767      | 6           | 1                      | 110                | 6                               |
| 401768      | 7           | 1                      | 110                | 7                               |



Data on file at Abbott.

**Information contained herein for DISTRIBUTION outside of the U.S. ONLY. Check the regulatory status of the device in areas where CE marking is not the regulation in force.**

# VENTRICULAR PACING WITH RIGHT HEART CURVE

## Torque Control


### Product Highlights

- Designed to provide pacing and sensing in the ventricle from the inferior vena cava approach
- Designed to balance maneuverability and mechanical stability
- Solid core enables user to customize the curve
- 10 cm depth markers to enhance placement
- Smooth, hemocompatible polyurethane coating
- Stainless steel center conductor and electrodes
- Clearly marked terminals
- Shrouded 2 mm pin connector leads

### Ordering Information

Contents: Pacing Catheter and Pin Adapters (5 units per box)

| PART NUMBER | FRENCH SIZE | ELECTRODE SPACING (CM) | USABLE LENGTH (CM) | RECOMMENDED INTRODUCER SIZE (F) |
|-------------|-------------|------------------------|--------------------|---------------------------------|
| 401769      | 4           | 1                      | 110                | 4                               |
| 401770      | 5           | 1                      | 110                | 5                               |
| 401771      | 6           | 1                      | 110                | 6                               |
| 401772      | 7           | 1                      | 110                | 7                               |



Data on file at Abbott.

**Information contained herein for DISTRIBUTION outside of the U.S. ONLY. Check the regulatory status of the device in areas where CE marking is not the regulation in force.**

# ATRIAL “J” PACING Torque Control

## Product Highlights

- Designed to provide pacing and sensing in the right atrium from the superior vena cava approach
- Designed to balance maneuverability and mechanical stability
- Solid core enables user to customize the curve
- 10 cm depth markers to enhance placement
- Smooth, hemocompatible polyurethane coating
- Stainless steel center conductor and electrodes
- Clearly marked terminals
- Shrouded 2 mm pin connector leads

## Ordering Information

Contents: Pacing Catheter and Pin Adapters (5 units per box)

| PART NUMBER | FRENCH SIZE | ELECTRODE SPACING (CM) | USABLE LENGTH (CM) | RECOMMENDED INTRODUCER SIZE (F) |
|-------------|-------------|------------------------|--------------------|---------------------------------|
| 401773      | 5           | 1                      | 110                | 5                               |



Data on file at Abbott.

**Information contained herein for DISTRIBUTION outside of the U.S. ONLY. Check the regulatory status of the device in areas where CE marking is not the regulation in force.**

©2023 Abbott. All rights reserved. MAT-2310085 v1.0

# STRAIGHT Flow Directed

## Product Highlights

- Designed to provide temporary pacing from the superior vena cava approach
- Flexible design for delicate placement of catheter
- 10 cm depth markers to enhance placement
- Smooth, hemocompatible polyurethane surface
- Clearly marked terminals
- Shrouded 2 mm pin connector leads

## Ordering Information

Contents: Pacing Catheter, Syringe and Pin Adapters (1 unit per box)

Kit Contents: Pacing Catheter, Syringe, Pin Adapters and Needle Peel-Away Introducer (1 unit per box)

| PART NUMBER  | FRENCH SIZE | ELECTRODE SPACING (CM) | USABLE LENGTH (CM) | RECOMMENDED INTRODUCER SIZE (F) |
|--------------|-------------|------------------------|--------------------|---------------------------------|
| 401761       | 5           | 1                      | 110                | 6                               |
| 401762 (Kit) | 5           | 1                      | 110                | 6                               |



Data on file at Abbott.

**Information contained herein for DISTRIBUTION outside of the U.S. ONLY. Check the regulatory status of the device in areas where CE marking is not the regulation in force.**

©2023 Abbott. All rights reserved. MAT-2310085 v1.0

# RIGHT HEART CURVE

## Flow Directed

### Product Highlights

- Designed to provide temporary pacing from the inferior vena cava approach
- Flexible design for delicate placement of catheter
- 10 cm depth markers to enhance placement
- Smooth, hemocompatible polyurethane surface
- Clearly marked terminals
- Shrouded 2 mm pin connector leads

### Ordering Information

Contents: Pacing Catheter, Syringe and Pin Adapters (1 unit per box)

Kit Contents: Pacing Catheter, Syringe, Pin Adapters and Needle Peel-Away Introducer (1 unit per box)

| PART NUMBER  | FRENCH SIZE | ELECTRODE SPACING (CM) | USABLE LENGTH (CM) | RECOMMENDED INTRODUCER SIZE (F) |
|--------------|-------------|------------------------|--------------------|---------------------------------|
| 401763       | 5           | 1                      | 110                | 6                               |
| 401764 (Kit) | 5           | 1                      | 110                | 6                               |



Data on file at Abbott.

**Information contained herein for DISTRIBUTION outside of the U.S. ONLY. Check the regulatory status of the device in areas where CE marking is not the regulation in force.**

©2023 Abbott. All rights reserved. MAT-2310085 v1.0

# EPICARDIAL CABLE

## Bipolar Pacing Accessories


### Product Highlights

- Designed to provide a connection between an external pulse generator or pacing system analyzer and the epicardial (myocardial) wire(s)
- Reusable (sterilizable up to 10 times)
- Thumb wheel screw connections
- Recessed receptacle ports

### Ordering Information

Contents: Epicardial Cable and Pin Adapters (5 units per box)

| PART NUMBER | DESCRIPTION                  | USABLE LENGTH                |
|-------------|------------------------------|------------------------------|
| 401777*     | 2 Pin Hypertronics Connector | 2.4 meters (8 feet) – Yellow |
| 401778^     | Shrouded 2 mm Pins           | 2.4 meters (8 feet) – Yellow |



\* Compatible with External Pulse Generators (EPGs) containing a 2-pin Hypertronics receptacle.

^ Compatible with External Pulse Generators (EPGs) containing shrouded 2-pin receptacles.

Data on file at Abbott.

**Information contained herein for DISTRIBUTION outside of the U.S. ONLY. Check the regulatory status of the device in areas where CE marking is not the regulation in force.**

# PATIENT CABLE

## Bipolar Pacing Accessories


### Product Highlights

- Designed to provide a connection between the external pulse generator or pacing system analyzer and the pacing catheter(s) and to provide the ability to extend the distance between the pacing leads and the pacing device.
- Reusable (sterilizable up to 10 times)
- Thumb wheel screw connections
- Recessed receptacle ports

### Ordering Information

Contents: Patient Cable and Pin Adapters<sup>1</sup> (5 units per box)

| PART NUMBER         | USABLE LENGTH               |
|---------------------|-----------------------------|
| 401758 <sup>^</sup> | 2.4 meters (8 feet) – Black |
| 401759*             | 2.4 meters (8 feet) – White |
| 401760*             | 2.4 meters (8 feet) – Blue  |



<sup>1</sup> Pin adapters only included with shrouded pin models.

\* Compatible with External Pulse Generators (EPGs) containing a 2-pin Hypertronics receptacle.

<sup>^</sup> Compatible with External Pulse Generators (EPGs) containing shrouded 2-pin receptacles.

Data on file at Abbott.

**Information contained herein for DISTRIBUTION outside of the U.S. ONLY. Check the regulatory status of the device in areas where CE marking is not the regulation in force.**

# THRESHOLD CABLE

## Bipolar Pacing Accessories


### Product Highlights

- Designed to provide a connection between the external pulse generator or pacing system analyzer and the pacing catheter(s) or permanent pacing leads during threshold testing
- Reusable (sterilizable up to 10 times)
- 8 foot usable length
- Shrouded 2 mm pin connector leads

### Ordering Information

Contents: Threshold Cable and Pin Adapters (5 units per box)

| PART NUMBER | USABLE LENGTH               |
|-------------|-----------------------------|
| 401748      | 2.4 meters (8 feet) – Black |



Data on file at Abbott.

**CAUTION:** This product is intended for use by or under the direction of a physician. Prior to use, reference the Instructions for Use, inside the product carton (when available) or at [vascular.eifu.abbott](http://vascular.eifu.abbott) or at [medical.abbott/manuals](http://medical.abbott/manuals) for more detailed information on Indications, Contraindications, Warnings, Precautions and Adverse Events. This material is intended for use with healthcare professionals only.

**Information contained herein for DISTRIBUTION outside of the U.S. ONLY. Check the regulatory status of the device in areas where CE marking is not the regulation in force.**

Illustrations are artist’s representations only and should not be considered as engineering drawings or photographs. Photos on file at Abbott.

**Abbott International BVBA**  
 Park Lane, Culliganlaan 2B, 1831 Diegem, Belgium, Tel: 32.2.714.14.11

™ Indicates a trademark of the Abbott Group of Companies.

[www.cardiovascular.abbott](http://www.cardiovascular.abbott)

©2023 Abbott. All rights reserved. MAT-2310085 v1.0

